

Maximised mobility – made easy

In this way, you do not need a forklift to effortlessly transport your goods in Euro containers onto transporters or through the storage facility: transport rollers for the basic dimensions 60 x 40 and 80 x 60 cm even accommodate higher container stacks safely and free from risk of tipping with their raised edges.

The smooth-running, high-quality rollers are optionally available in polyamide or rubber, making them run especially smoothly and softly even on rough surfaces. As additional options for individually tailoring the rollers to your specific requirements, you can choose from fixed or swivel wheels, stainless steel mounts, brakes for locking into position and an integrated thread guard.

TRANSPORT TROLLEYS 60 X 40

BE STABLE AND MOBILE

With this trolley you can easily move your Euro Containers from A to B. The size of the trolleys is attuned for a basic measurement of 60 cm x 40 but can also be used for 2 containers with the dimensions of 40 cm x 30 cm.

- Highly robust, loading capacity 250 kg
- High quality, smooth running wheels

- Available with rubber or polyamide wheels
- Our polyamide version is also available with stainless steel blocks
- Trolleys are available with 4 steering wheels or with 2 fixed and 2 steering wheels
- Optionally with parking brakes or thread guards



Transport Trolley
very robust,
load-bearing capacity 250 kg
RO 64 R GU



TRANSPORT TROLLEYS 60 X 40

Outer dimensions L x W (cm): 62 x 42

WITH WHEELS OF POLYAMIDE

RAL 3020 Article No.	RAL 5015 Article No.	Design	Units on pallet
RO 64 R PA	RO 64 B PA	4 steering castors	80
RO 64 R PA BO	RO 64 B PA BO	2 steering castors, 2 fixed castors	80
RO 64 R PA FE	RO 64 B PA FE	2 steering castors, 2 steering castors with wheel stop	80
RO 64 R PAX	RO 64 B PAX	4 stainless steel steering castors	80
RO 64 R PAX BO	RO 64 B PAX BO	2 stainless steel steering castors, 2 stainless steel fixed castors	80

WITH STABLE RUBBER WHEELS

RAL 3020 Article No.	RAL 5015 Article No.	Design	Units on pallet
RO 64 R GU	RO 64 B GU	4 steering castors	80
RO 64 R GU FE	RO 64 B GU FE	2 steering castors, 2 steering castors with wheel stop	80
RO 64 R GU FA	RO 64 B GU FA	4 steering castors with threadguard	80
RO 64 R GU BO	RO 64 B GU BO	2 steering castors, 2 fixed castors	80

For bigger quantities our Transport Trolleys 80 x 60 can either be used for several small containers or for our 80 x 60 boxes! The recess on top of each trolley enables you to stack them easy and space saving.



- Highly robust, Loading capacity 250 kg
- High quality, smooth running wheels
- Available with rubber or polyamide wheels
- Our polyamide version is also available with stainless steel blocks
- Trolleys are available with 4 steering wheels or with 2 fixed and 2 steering wheels
- Optionally with parking brakes or thread guards



Transport Trolley
very robust,
load-bearing capacity 250 kg
RO 86 PA

TRANSPORT TROLLEYS 80 X 60

Standard colour: silver grey **RAL 7001** ; Outer dimensions L x W (cm): 82 x 62

WITH WHEELS OF POLYAMIDE

Article No.	Design	Units on pallet
RO 86 PA	4 steering castors	32
RO 86 PA BO	2 steering castors, 2 fixed castors	32
RO 86 PA FE	2 steering castors, 2 steering castors with wheel stop	32
RO 86 PA BO FA	2 steering castors with threadguard, 2 fixed castors with threadguard	32
RO 86 PA FA	4 steering castors with threadguard	32

WITH STABLE RUBBER WHEELS

Article No.	Design	Units on pallet
RO 86 GU	4 steering castors	32
RO 86 GU BO	2 steering castors, 2 fixed castors	32
RO 86 GU FE	2 steering castors, 2 steering castors with wheel stop	32
RO 86 GU BO FA	with wheels of polyamide	32
RO 86 GU FA	4 steering castors with threadguard	32

